

Appendix 5.

1st Issuing Date: 2019.03.22, Revision Date: -----, Rev.No.: --

< Material Safety Data Sheet >

Product Name: Talc I-LL

1. IDENTIFICATION

A. Product name

- Talc I-LL

B. Recommended use and restriction on use

- General use : Cosmetics- Restriction on use : Not available

C. Manufacturer / Supplier / Distributor information

- Company name : EastHill Corporation

- Address : Hyundai Coretel 1003, 341, Sanbon-ro, Gunpo-si, Gyeonggi-do 15865, Korea.

- Emergency telephone · Te

number

: Tel) 031-396-5182

- Fax number : Fax) 031-396-5183

2. HAZARD IDENTIFICATION

A. GHS Classification

- Not applicable

B. GHS label elements

- Hazard symbols
 - Not applicable
- o Signal words
 - Not applicable
- Hazard statements
 - Not applicable
- Precautionary statements
 - 1) Prevention
 - Not applicable
 - 2) Response
 - Not applicable
 - 3) Storage
 - Not applicable
 - 4) Disposal
 - Not applicable

C. Other hazards which do not result in classification: (NFPA Classification)

- NFPA grade (0 ~ 4 level)
 - Health: 0, Flammability: 0, Reactivity: 0

3. COMPOSITION/INFORMATION ON INGREDIENTS

	INCI NAME	CONTENT(%)	CAS.No	
Talc		Confidential	14807-96-6	
Lauroyl Lysine		Confidential	52315-75-0	

4. FIRST AID MEASURES

A. Eye contact

- Do not rub your eyes.
- Immediately flush eyes with plenty of water for at least 15 minutes and call a doctor/physician.

B. Skin contact

- Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
- Wash contaminated clothing thoroughly before re-using.

C. Inhalation contact

- When exposed to large amounts of steam and mist, move to fresh air.
- Take specific treatment if needed.

D. Ingestion contact

- Please be advised by doctor whether induction of vomit is demanded or not.
- Rinse your mouth with water immediately.

E. Delayed and immediate effects and also chronic effects from short and long term exposure

- Not available

F. Notes to physician

- Notify medical personnel of contaminated situations and have them take appropriate protective measures.

5. FIREFIGHTING MEASURES

A. Suitable (Unsuitable) extinguishing media

- Dry chemical, carbon dioxide, regular foam extinguishing agent, spray
- Avoid use of water jet for extinguishing

B. Specific hazards arising from the chemical

- Not available

C. Special protective actions for firefighters

- Cool containers with water until well after fire is out.
- Keep unauthorized personnel out.
- Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank.
- Notify your local firestation and inform the location of the fire and characteristics hazard.
- Wear appropriate protective equipment.
- Keep containers cool with water spray.
- Fine powder may cause ignition.

6. ACCIDENTAL RELEASE MEASURES

A. Personal precautions, protective equipment and emergency procedures

- Wear proper personal protective apparatus as indicated in Section 8 and avoid skin contact and inhalation.
- Do not touch spilled material. Stop leak if you can do it without risk.
- Move container to safe area from the leak area.
- Handle the damaged containers or spilled material after wearing appropriate protective equipment
- Avoid dust formation.
- Moist with water to prevent dust scattering.

B. Environmental precautions

- Prevent runoff and contact with waterways, drains or sewers.
- If large amounts have been spilled, inform the relevant authorities.

C. Methods and materials for containment and cleaning up

- Large spill : Stay upwind and keep out of low areas. Dike for later disposal.
- Notification to central government, local government. When emissions at least of the standard amount
- Dispose of waste in accordance with local regulation.
- Appropriate container for disposal of spilled material collected.
- Dust spills: Cover dust spills with plastic sheet or waterproof cloth to minimize spreading and avoid contact with water.
- Small liquid state spills: Appropriate container for disposal of spilled material collected.
- Put the spilled material in an appropriate containers and clean the contaminated area

7. HANDLING AND STORAGE

A. Precautions for safe handling

- Wash thoroughly after handling.
- Dealing only with a well-ventilated place.
- Do not handle until all safety precautions have been read and understood.
- Minimize occurrence of dust and accumulation.`

B. Conditions for safe storage, including any incompatibilities

- Save in cool, dry and well ventilated place.
- Check regularly for leaks.
- Do not apply direct heat.
- Store according to current laws and regulations
- Prevent static electricity and keep away from combustible materials or heat sources.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

A. Exposure limits

o ACGIH TLV

- [Talc]: TWA 2 mg/m3, Respirable particulate matter (containing no asbestos and <1% crystalline silica)

OSHA PEL

- [Talc]: 20 mppcf (containing no asbestos, respirable dust), 0.1 fiber/cm3 TWA, 1.0 fiber/cm3 Excursion Limit (30 minutes)(containing asbestos)

B. Engineering controls

- Business owner is recommended to maintain below recommended exposure limits for the working place with general exhaust of gas/vapour/mist/fume.

C. Individual protection measures, such as personal protective equipment

Respiratory protection

- Under conditions of frequent use or heavy exposure, Respiratory protection may be needed.
- Respiratory protection is ranked in order from minimum to maximum.
- Consider warning properties before use.
- Dust, mist, fume-purifying respiratory protection
- Air-purifying respirator with high-efficiency particulate filtering
- Any respiratory protection with a electromotion fan(for dust, mist, fume-purifying)
- Self-contained breathing apparatus with a corpuscle filter of high efficiency
- For Unknown Concentration or Immediately Dangerous to Life or Health: Any supplied-air respirator with full facepiece and operated in a pressure-demand or other positive-pressure mode in combination with a separate escape supply. Any self-contained breathing apparatus with a full facepiece.

Eye protection

- Wear primary eye protection such as splash resistant safety goggles with a secondary protection face shield.
- Provide an emergency eye wash station and quick drench shower in the immediate work area.

Hand protection

- Wear appropriate glove.

o Skin protection

- Wear appropriate clothing.

$\circ \ \, \textbf{Others}$

- Not available

9. PHYSICAL AND CHEMICAL PROPERTIES

A. Appearance

- Appearance- Color- Whitish

B. Odor Slightly characteristic odor

C. Odor threshold Not available D. pH Not available E. Melting point/Freezing point Not available F. Initial Boiling Point/Boiling Ranges Not available G. Flash point Not available H. Evaporation rate Not available I. Flammability(solid, gas) Not available J. Upper/Lower Flammability or explosive limits Not available K. Vapour pressure Not available Not available L. Solubility M. Vapour density Not available N. Specific gravity(Relative density) Not available O. Partition coefficient of n-octanol/water Not available P. Autoignition temperature Not available Q. Decomposition temperature Not available R. Viscosity Not available S. Molecular weight Not available

10. STABILITY AND REACTIVITY

A. Chemical Stability

- This material is stable under recommended storage and handling conditions.

B. Possibility of hazardous reactions

- Hazardous Polymerization will not occur.

C. Conditions to avoid

- Avoid contact with incompatible materials and condition.
- Avoid : Accumulation of electrostatic charges, Heating, Flames and hot surfaces

D. Incompatible materials

- Not available

E. Hazardous decomposition products

- May emit flammable vapour if involved in fire.

11. TOXICOLOGICAL INFORMATION

A. Information on the likely routes of exposure

- o (Respiratory tracts)
 - Not available
- o (Oral)
 - Not available
- ∘ (Eye-Skin)
 - Not available

B. Delayed and immediate effects and also chronic effects from short and long term exposure

- Acute toxicity
 - * Oral

- Product (ATEmix): >5000mg/kg
- [Talc]: LD50 >5,000 mg/kg rat (GLP, ECHA)

* Dermal

- Product (ATEmix): >5000mg/kg
- [Talc]: LD50 >2,000 mg/kg rat (GLP, ECHA)

* Inhalation

- Product (ATEmix): Not available
- [Talc]: LC50 > 2.1 mg/L/4hr Rat, Magnesium hydroxide (GLP, ECHA)

o Skin corrosion/irritation

- Not available
- o Serious eye damage/irritation
 - Not available
- Respiratory sensitization
 - Not available

o Skin sensitization

- Not available
- Carcinogenicity

* IARC

- [Talc] : Group 1 (Talc(containing asbestos fibers))
- [Talc] : Group 3 (Talc not containing asbestos or asbestiform fibres)
- [Talc]: Group 2B (Talc-based body powder (perineal use of))

* OSHA

- Not available

* ACGIH

- [Talc] : A1 (Talc(containing asbestos fibers))
- [Talc]: A4 (Talc(containing no asbestos fibers))

* NTP

- Not available

* EU CLP

- Not available

o Germ cell mutagenicity

- Not available
- Reproductive toxicity
 - Not available
- o STOT-single exposure
 - Not available
- o STOT-repeated exposure
 - Not available
- o Aspiration hazard
 - Not available

12. ECOLOGICAL INFORMATION

A. Ecotoxicity

- o Fish
 - [Talc] : LC50 100000 mg/ℓ 24 hr Brachydanio rerio (IUCLID)
 - [Lauroyl Lysine] : LC50 773.745 mg/l 96 hr (Estimate)

o Crustaceans

- [Talc] : LC50 = 94983.781 mg/ℓ 48 hr
- [Lauroyl Lysine] : LC50 90.801 mg/ℓ 48 hr (Estimate)

o Algae

- [Talc] : LC50 = 48545.539 $\ensuremath{\mathrm{mg/\ell}}$
- [Lauroyl Lysine] : EC50 37.428 $\ensuremath{\,\mathrm{mg/\ell}}$ 96 hr (Estimate)

B. Persistence and degradability

o Persistence

- [Talc]: log Kow -1.50 (Estimate)
- [Lauroyl Lysine] : log Kow = 1.87 (Estimate)
- o Degradability
 - Not available

C. Bioaccumulative potential

- o Bioaccumulative potential
 - [Lauroyl Lysine] : BCF = 3.162 (Estimate)
- o Biodegration
 - Not available

D. Mobility in soil

- Not available

E. Other adverse effects

- Not available

13. DISPOSAL CONSIDERATIONS

A. Disposal methods

- Since more than two kinds of designated waste is mixed, it is difficult to treat separately, then can be reduction or stabilization by incineration or similar process.
- If water separation is possible, pre-process with Water separation process.
- Dispose by incineration.

B. Special precautions for disposal

- The user of this product must dispose by oneself or entrust it to a waste disposer, a person who recycles other's waste or establishes and operates waste disposal facilities.
- Dispose of waste in accordance with all applicable laws and regulations.

14. TRANSPORT INFORMATION

A. UN No. (IMDG CODE/IATA DGR)

- Not applicable

B. Proper shipping name

- Not applicable

C. Hazard Class

- Not applicable

D. IMDG CODE/IATA DGR Packing group

- Not applicable

E. Marine pollutant

- Not applicable

F. Special precautions for user related to transport or transportation measures

- Local transport follows in accordance with Dangerous goods Safety Management Law.
- Package and transport follow in accordance with Department of Transportation (DOT) and other regulatory agency requirements.
- EmS FIRE SCHEDULE : Not available
- EmS SPILLAGE SCHEDULE : Not available
- Air transport(IATA): Not subject to IATA regulations.

15. REGULATORY INFORMATION

A. National and/or international regulatory information

o POPs Management Law

- Not applicable
- o Information of EU Classification
 - * Classification
 - Not applicable
- o U.S. Federal regulations
 - * OSHA PROCESS SAFETY (29CFR1910.119)
 - Not applicable
 - * CERCLA Section 103 (40CFR302.4)
 - Not applicable
 - * EPCRA Section 302 (40CFR355.30)
 - Not applicable
 - * EPCRA Section 304 (40CFR355.40)
 - Not applicable
 - * EPCRA Section 313 (40CFR372.65)
 - Not applicable
- o Rotterdam Convention listed ingredients
 - Not applicable
- o Stockholm Convention listed ingredients
 - Not applicable
- o Montreal Protocol listed ingredients
 - Not applicable

16. OTHER INFORMATION

A. Reference

- The information contained herein is believed to be accurate. It is provided independently of any sale of the product for purpose of hazard communication. It is not intended to constitute performance information concerning the product. No express warranty, or implied warranty of merchantability or fitness for a particular purpose is made with respect to the product or the information contained herein.
- This Safety Data Sheet was compiled with data and information from the following sources: KOSHA, NITE, ESIS, NLM, SIDS, IPCS

B. Issue date

- 2019-03-22

C. Revision number and Last date revised

- Not applicable

D. Other

- This SDS is prepared according to the Globally Harmonized System (GHS).