

Appendix 5.

1st Issuing Date: 2018.01.02, Revision Date: ----,--, Rev.No.: --

# < Material Safety Data Sheet >

**Product Name: TiO2 HD** 

# 1. IDENTIFICATION

#### A. Product name

- TiO2 HD

# B. Recommended use and restriction on use

- General use : Cosmetics- Restriction on use : Not available

# C. Manufacturer / Supplier / Distributor information

- Company name : EastHill Corporation

- Address : Hyundai Coretel 1003, 341, Sanbon-ro, Gunpo-si, Gyeonggi-do 15865, Korea.

- Emergency telephone : Tel) 031-396-5182

- Fax number : Fax) 031-396-5183

# 2. HAZARD IDENTIFICATION

### A. GHS Classification

- Carcinogenicity : Category2

### B. GHS label elements

Hazard symbols



### o Signal words

- Warning

# Hazard statements

- H351 Suspected of causing cancer

### o Precautionary statements

### 1) Prevention

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P281 Use personal protective equipment as required.

#### 2) Response

- P308+P313 If exposed or concerned: Get medical advice/attention.

# 3) Storage

- P405 Store locked up.

#### 4) Disposal

- P501 Dispose of contents/container in accordance with local/regional/national/international regulation

# C. Other hazards which do not result in classification: (NFPA Classification)

### ○ NFPA grade (0 ~ 4 level)

- Health: 0, Flammability: 0, Reactivity: 0

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

	INCI NAME	CONTENT(%)	CAS.No
Titanium Dioxide			13463-67-7
Silica		Confidential	7631-86-9
Alumina			1333-84-2

### 4. FIRST AID MEASURES

#### A. Eye contact

- Do not rub your eyes.
- Immediately flush eyes with plenty of water for at least 15 minutes and call a doctor/physician.
- Get medical attention immediately.

#### **B. Skin contact**

- Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
- Laundering enough contaminated clothing before reuse.
- Get medical attention immediately.

### C. Inhalation contact

- When exposed to large amounts of steam and mist, move to fresh air.
- Take specific treatment if needed.
- Get medical attention immediately.
- If breathing is stopped or irregular, give artificial respiration and supply oxygen.

### D. Ingestion contact

- Please be advised by doctor whether induction of vomit is demanded or not.
- Rinse your mouth with water immediately.
- Get medical attention immediately.

# E. Delayed and immediate effects and also chronic effects from short and long term exposure

- Not available

### F. Notes to physician

- Notify medical personnel of contaminated situations and have them take appropriate protective measures.
- If exposed or concerned, get medical attention/advice.

# 5. FIREFIGHTING MEASURES

#### A. Suitable (Unsuitable) extinguishing media

- Dry chemical, carbon dioxide, regular foam extinguishing agent, spray
- Avoid use of water jet for extinguishing

# B. Specific hazards arising from the chemical

- Not available

### C. Special protective actions for firefighters

- Using a unattended and water devices in case of large fire and leave alone to burn if you do not imperative.
- Do not access if the tank on fire.
- Use appropriate extinguishing measure suitable for surrounding fire.
- Wear appropriate protective equipment.
- Keep containers cool with water spray.
- Fine powder may cause ignition.

# 6. ACCIDENTAL RELEASE MEASURES

# A. Personal precautions, protective equipment and emergency procedures

- Ventilate closed spaces before entering.
- Must work against the wind, let the upwind people to evacuate.
- Do not touch spilled material. Stop leak if you can do it without risk.
- Remove all sources of ignition.
- Avoid dust formation.
- Moist with water to prevent dust scattering.
- Cleanup and disposal under expert supervision is advised.
- Keep unauthorized people away, isolate hazard area and deny entry.

#### B. Environmental precautions

- Prevent runoff and contact with waterways, drains or sewers.
- If large amounts have been spilled, inform the relevant authorities.

### C. Methods and materials for containment and cleaning up

- Large spill : Stay upwind and keep out of low areas. Dike for later disposal.
- Notification to central government, local government. When emissions at least of the standard amount
- Dispose of waste in accordance with local regulation.
- Appropriate container for disposal of spilled material collected.
- Dust spills: Cover dust spills with plastic sheet or waterproof cloth to minimize spreading and avoid contact with water.
- Small liquid state spills: Appropriate container for disposal of spilled material collected.
- For disposal of spilled material in appropriate containers collected and clear surface.

### 7. HANDLING AND STORAGE

#### A. Precautions for safe handling

- Since emptied containers retain product residue(vapor, liquid, solid) follow all MSDS and label warnings even after container is emptied.
- Avoid contact with incompatible materials.
- Comply with all applicable laws and regulations for handling
- Refer to Engineering controls and personal protective equipment.
- Minimize occurrence of dust and accumulation.`
- Contaminated work clothing should not be allowed out of the workplace.

# B. Conditions for safe storage, including any incompatibilities

- Avoid direct sunlight.
- Keep in the original container.
- Please pay attention to incompatibilities materials and conditions to avoid.
- No open fire.
- Prevent static electricity and keep away from combustible materials or heat sources.
- By specifying a storage area for carcinogenic substances.
- Collected them in sealed containers.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# A. Exposure limits

- o ACGIH TLV
  - [Titanium Dioxide] : TWA 10 mg/m3
- $\circ \ \text{OSHA PEL}$ 
  - [Titanium Dioxide]: 15 mg/m3 (Total dust)

#### B. Engineering controls

- A system of local and/or general exhaust is recommended to keep employee exposures above the Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. The use of local exhaust ventilation is recommended to control emissions near the source.

### C. Individual protection measures, such as personal protective equipment

- o Respiratory protection
  - Under conditions of frequent use or heavy exposure, Respiratory protection may be needed.

- Respiratory protection is ranked in order from minimum to maximum.
- Consider warning properties before use.
- Dust, mist, fume-purifying respiratory protection
- Any air-purifying respirator with a corpuscle filter of high efficiency
- Any respiratory protection with a electromotion fan(for dust, mist, fume-purifying)
- Self-contained breathing apparatus with a corpuscle filter of high efficiency
- For Unknown Concentration or Immediately Dangerous to Life or Health: Any supplied-air respirator with full facepiece and operated in a pressure-demand or other positive-pressure mode in combination with a separate escape supply. Any self-contained breathing apparatus with a full facepiece.

### o Eye protection

- Wear primary eye protection such as splash resistant safety goggles with a secondary protection face shield.
- Provide an emergency eye wash station and quick drench shower in the immediate work area.

#### o Hand protection

- Wear appropriate glove.

#### o Skin protection

- Wear appropriate clothing.

#### o Others

- Not available

### 9. PHYSICAL AND CHEMICAL PROPERTIES

# A. Appearance

- Appearance- Color- White

B. Odor Slightly Characteristic Odor

C. Odor threshold Not available D. pH Not available Not available E. Melting point/Freezing point F. Initial Boiling Point/Boiling Ranges Not available G. Flash point Not available H. Evaporation rate Not available I. Flammability(solid, gas) Not available J. Upper/Lower Flammability or explosive limits Not available K. Vapour pressure Not available L. Solubility Not available M. Vapour density Not available N. Specific gravity(Relative density) Not available O. Partition coefficient of n-octanol/water Not available P. Autoignition temperature Not available Q. Decomposition temperature Not available Not available R. Viscosity

# 10. STABILITY AND REACTIVITY

### A. Chemical Stability

S. Molecular weight

- This material is stable under recommended storage and handling conditions.

### B. Possibility of hazardous reactions

- Hazardous Polymerization will not occur.

# C. Conditions to avoid

- Avoid contact with incompatible materials and condition.
- Avoid: Accumulation of electrostatic charges, Heating, Flames and hot surfaces

# D. Incompatible materials

- Not available

Not available

### E. Hazardous decomposition products

- May emit flammable vapour if involved in fire.

### 11. TOXICOLOGICAL INFORMATION

### A. Information on the likely routes of exposure

- o (Respiratory tracts)
  - Not available
- o (Oral)
  - Not available
- (Eye-Skin)
  - Not available

# B. Delayed and immediate effects and also chronic effects from short and long term exposure

- Acute toxicity
  - \* Oral ATE MIX: >5000mg/kg
    - [Titanium Dioxide] : LD50 > 10000 mg/kg Rat (HSDB)
    - [Silica]: LD50 = 3160 mg/kg Rat (TOMES; HAZARDTEXT)
  - \* Dermal ATE MIX : >5000mg/kg
    - [Titanium Dioxide] : LD50 > 10000 mg/kg Rabbit (IUCLID)
    - [Silica]: LD50 >2000 mg/kg Rabbit (IUCLID)
  - \* Inhalation ATE MIX : Not available
    - [Titanium Dioxide]: LC50 >3.43 mg/ $\ell$  Rat (OECD TG 403)
    - [Silica] : LC50 >2.2  $mg/\ell$  1 hr Rat (IUCLID)
- Skin corrosion/irritation
  - Not available
- o Serious eye damage/irritation
  - Not available
- o Respiratory sensitization
  - Not available
- $\circ \ \textbf{Skin sensitization}$ 
  - Not available
- o Carcinogenicity
  - \* IARC
    - [Titanium Dioxide]: Group 2B
    - [Silica]: Group 3
  - \* OSHA
    - Not available
  - \* ACGIH
    - [Titanium Dioxide]: A4
    - [Alumina]: A4 (Aluminum insoluble compounds)
  - \* NTP
    - Not available
  - \* EU CLP
    - Not available
- o Germ cell mutagenicity
  - Not available
- $\circ \ \textbf{Reproductive toxicity}$ 
  - Not available
- o STOT-single exposure
  - Not available
- o STOT-repeated exposure
  - Not available
- Aspiration hazard
  - Not available

# 12. ECOLOGICAL INFORMATION

### A. Ecotoxicity

- o Fish
  - [Titanium Dioxide] : LL50 >100  $\mathrm{mg}/\ell$  96 hr Oryzias latipes(OECD TG 203)
  - [Silica] : LC50 5000 mg/ℓ 96 hr (IUCLID)
- o Crustaceans
  - [Titanium Dioxide] : EC50 >100 mg/ℓ 48 hr Daphnia magna(48h-EL50Daphnia magna>100 mg/L, 48h-EC50>100, 48h-EC10=91.2 mg/L, OECD TG 202)
  - [Silica] : LC50 7600 mg/ℓ 48 hr (IUCLID)
- o Algae
  - [Titanium Dioxide] : ErL50 >100 mg/£ 72 hr (Pseudokirchneriella subcapitata, 72h-ErL50 Pseudokirchneriella subcapitata >100 mg/L growth rate, static, 72h-EyL50 >100 mg/L static, OECD TG 201)
  - [Silica] : EC50 440 mg/£ 72 hr (IUCLID)

# B. Persistence and degradability

- o Persistence
  - [Silica] : log Kow = 0.53
- o Degradability
  - Not available

#### C. Bioaccumulative potential

- o Bioaccumulative potential
  - [Silica] : BCF = 3.162
- Biodegration
  - Not available

# D. Mobility in soil

- Not available

### E. Other adverse effects

- Not available

### 13. DISPOSAL CONSIDERATIONS

### A. Disposal methods

- Since more than two kinds of designaed waste is mixed, it is difficult to treat seperatly, then can be reduction or stabilization by incineration or similar process.
- If water separation is possible, pre-process with Water separation process.
- Dispose by incineration.

# B. Special precautions for disposal

- The user of this product must disposal by oneself or entrust to waste disposer or person who other's waste recycle and dispose, person who establish and operate waste disposal facilities.
- Dispose of waste in accordance with all applicable laws and regulations.

# 14. TRANSPORT INFORMATION

### A. UN No. (IMDG CODE/IATA DGR)

- Not applicable

### B. Proper shipping name

- Not applicable

# C. Hazard Class

- Not applicable

# D. IMDG CODE/IATA DGR Packing group

- Not applicable

# E. Marine pollutant

- Not applicable

### F. Special precautions for user related to transport or transportation measures

- Local transport follows in accordance with Dangerous goods Safety Management Law.
- Package and transport follow in accordance with Department of Transportation (DOT) and other regulatory agency requirements.
- EmS FIRE SCHEDULE: Not available
- EmS SPILLAGE SCHEDULE: Not available
- Air transport(IATA): Not subject to IATA regulations.

#### 15. REGULATORY INFORMATION

### A. National and/or international regulatory information

- o POPs Management Law
  - Not applicable
- o Information of EU Classification
  - \* Classification
    - Not applicable
- o U.S. Federal regulations
  - \* OSHA PROCESS SAFETY (29CFR1910.119)
    - Not applicable
  - \* CERCLA Section 103 (40CFR302.4)
    - Not applicable
  - \* EPCRA Section 302 (40CFR355.30)
    - Not applicable
  - \* EPCRA Section 304 (40CFR355.40)
    - Not applicable
  - \* EPCRA Section 313 (40CFR372.65)
    - Not applicable
- o Rotterdam Convention listed ingredients
  - Not applicable
- o Stockholm Convention listed ingredients
  - Not applicable
- Montreal Protocol listed ingredients
  - Not applicable

### **16. OTHER INFORMATION**

### A. Reference

- The information contained herein is believed to be accurate. It is provided independently of any sale of the product for purpose of hazard communication. It is not intended to constitute performance information concerning the product. No express warranty, or implied warranty of merchantability or fitness for a particular purpose is made with respect to the product or the information contained herein.
- This Safety Data Sheet was compiled with data and information from the following sources: KOSHA, NITE, ESIS, NLM, SIDS, IPCS

# B. Issue date

- 2018-01-02

### C. Revision number and Last date revised

- Not applicable

# D. Other

- This SDS is prepared according to the Globally Harmonized System (GHS).